










DL/T848.1-2004

1





0.1kV 1uA

2.

3.0.75U 0.75U 0.75U

- 4.
- 5.
- 6.
- 7.
- 8.

kV 60

mA 5

W 300

kg 9

mm³ 465*390*190

mm 440

± (1.0% ± 2)

± (1.0% ± 2)

≤ 0.5%

30


10% 10

1.25



	AC220V ± 10% 50HZ	
	-10-40	
	25	85%
	1500	


1.6.1 1.1



1.6.1

1.
4.
7.
10.
2.
5.
8.
11.
3.
6.0.75UDC1mA
9.

1.6.2 1.2




1.6.2

1.
4.
7.

2.
5.

3.
6.






0.75UDC1mA

0.75

75%

0.75UDC1mA

)





(220V ± 10

3A

kV

1.1






AC220V

1.1

3.2

3.3



3-5kV

()

0.75UDC1mA

95%

0.75UDC1mA

75

()

UDC1mA

20



1.

2.

3.

1.

3.2

3.3

3.4

2.

3.

4.

I I I_o I I_o I I

, 3.1



3.1

CX


3.2



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，满足客户要求，超过期望



&


Ö


Ö

Ö

whhezi.com

027-83267669
whhezi@com







赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

3

2


24

027-83267669

24

48

4



225

027-83267669

www.whhezi.com

whhezi@163.com